Author Index

Abe, M.	Examination of different models following types of yaw moment control strategy for improving handling safety of a car–caravan combination	561–571
Ahmadian, M.	Validation of an indentor system for evaluating truck seat cushions	343–348
Ajovalasit, M.	Analysis of variations in diesel engine idle vibration	921–933
Alessandrini, A.	A driving cycle for electrically-driven vehicles in Rome	781–789
Altendorf, W.	Observations on the energy absorption characteristics of a three-spoke steering wheel armature during impact	1057–1069
André, F.	Design studies for a new suspension mechanism	529–535
Aoki, T.	Fifth percentile female dummy upper extremity interaction with a deploying side air bag	79–86
Armbruster, H.	On-board conversion of alcohols to ethers for fumigation in compression ignition engines	155–164
Arnold, B.	Observations on the energy absorption characteristics of a three-spoke steering wheel armature during impact	1057–1069
Bae, C.	Dimenthyl ether (DME) spray characteristics in a common-rail fuel injection system	1135–1144
Bakshi, S.	Multidimensional simulation of the air-flow and fuel transport process in the air-assisted injection system of a new, low-emission two-stroke engine	383–392
Ballesteros, R.	Composition and size of diesel particulate emissions from a commercial European engine tested with present and future fuels	907–919
Besselink, B. C.	Tractive efficiency of four-wheel-drive vehicles: an analysis for non-uniform traction conditions	363–374
Best, M. C.	Improvement of perceived vehicle performance through adaptive electronic throttle control	97–106
Bettella, M.	On the construction of a general numerical tyre shear force model from limited data	165–172
Bittanti, S.	On the design and tuning of the controllers in a power-split continuously variable transmission for agricultural tractors	745–759
Boettiger, F.	Roll dynamics and lateral load transfer estimation in articulated heavy freight vehicles	985–997
Boggs, C.	Validation of an indentor system for evaluating truck seat cushions	343–348
Campbell, N. A. F.	Experimental and modelling aspects of flow boiling heat transfer for application to internal combustion engines	877–889
Cao, J.	Theoretical and experimental study of atomization from an annular liquid sheet	735–743
Cao, Q.	Vibration and squeal of a disc brake: modelling and experimental results	867–875
Cebon, D.	Achievable roll stability of heavy road vehicles	269–287
Cebon, D.	Laboratory measurement of rolling resistance in truck tyres under dynamic loading	1071–1079
Cho, H.-S.	An experimental study for drivability improvements in vehicle acceleration mode	623–631
Cho, M.-R.	Theoretical evaluation of the effects of crank offset on the reduction of engine friction	891–898
Choi, D.	An operation algorithm with state of charge recovery for a parallel-type hybrid vehicle	801–808
Choi, S. B.	Non-dimensional analysis for effective design of semi-active electrorheological damping control systems	1095–1106
Choi, S.-B.	Performance comparison of vehicle suspensions featuring two different electrorheological shock absorbers	999–1010
Choi, Y.-C.	An experimental study for drivability improvements in vehicle acceleration mode	623–631
Choi, Y. T.	Non-dimensional analysis for effective design of semi-active electrorheological damping control systems	1095–1106
Chou, H.-M.	Transient behaviour of an electrically heated catalytic converter on a motorcycle engine in cold start conditions	183–192
Chou, H.-M.	Reaction of the electrically-heated catalyst of a four-stroke motorcycle engine under cold start conditions with additional enrichment of the intake mixture	1117–1124
Chung, T.	An investigation into different braking strategies for vehicle stability control	1081–1093
Cole, D. J.	Laboratory measurement of rolling resistance in truck tyres under dynamic loading	1071–1079
Crandall, J. R.	Fifth percentile female dummy upper extremity interaction with a deploying side air bag	79–86
Crowther, A.	A finite element method for the dynamic analysis of automatic transmission gear shifting with a four-degree-of-freedom planetary gearset element	461–473
D'Acquisto, L.	Development of a low-cost piezo film-based knock sensor	691–699
Darling, J.	A study of caravan unsteady aerodynamics	551–560
Davies, H.	Development of test procedures and performance criteria to improve compatibility in car frontal collisions	233–245
Day, A. J.	Steering drift and wheel movement during braking: parameter sensitivity studies	1107–1115
Deming, J.	Effects of different frequency components in turbulence on accelerating turbulent premixed combustion	1023–1030
Doran, D.	An evaluation of value-transfer within a modular supply chain	521–527
Douglas, R.	Measurement of oxygen storage capacity in automotive catalysts	727–733
Duan, S.	Engine test data modelling by evolutionary radial basis function networks	489–497
Duma, G.	The effects of uterine ligaments on fetal injury in frontal automobile crashes	1049–1055
Duma, S.	The effects of uterine ligaments on fetal injury in frontal automobile crashes	1049–1055
Duma, S. M.	Fifth percentile female dummy upper extremity interaction with a deploying side air bag	79–86
Durán, A.	Composition and size of diesel particulate emissions from a commercial European engine tested with present and future fuels	907–919
Edwards, M. J.	Development of test procedures and performance criteria to improve compatibility in car frontal collisions	233–245
Farrel, V.	Comparison of the environmental damage caused by vehicles with different alternative fuels and drivetrains in a Brussels context	583–593
Fessler, H.	Design of overlapped crankshafts. Part 3: holes in crankpin and journal	899–906

© IMechE 2003

Fieldhouse, J. D.	A study of brake noise and the influence of the centre of pressure at the disc/pad interface, the coefficient of friction and calliper mounting geometry	957–973
Fieldhouse, J. D.	Fourier analysis of holographic data from a noisy disc brake and its implication for modelling	975–984
Giacomin, J.	Analysis of variations in diesel engine idle vibration	921–933
Gibbens, P.	Analysis of disc brake cooling characteristics	657–666
Gjirja, S.	On-board conversion of alcohols to ethers for fumigation in compression ignition engines	155–164
Gogu, G.	Design studies for a new suspension mechanism	529–535
Granger, R.	On car steering torques at parking speeds	87–96
Grum, J.	Analysis of residual stresses in main crankshaft bearings after induction surface hardening and finish grinding	173–182
Hammond, G. P.	Convective coolant heat transfer in internal combustion engines	133–146
Han, D.-C.	Theoretical evaluation of the effects of crank offset on the reduction of engine friction	891–898
Han, W.	A study of shift control using the clutch pressure pattern in automatic transmission	289–298
Hawley, J. G.	Convective coolant heat transfer in internal combustion engines	133–146
Hawley, J. G.	A fully analytical treatment of heat release in diesel engines	701–717
Hawley, J. G.	Experimental and modelling aspects of flow boiling heat transfer for application to internal combustion engines	877–889
Hecq, W.	Comparison of the environmental damage caused by vehicles with different alternative fuels and drivetrains in a Brussels context	583–593
Heffernan, D.	A comparison of emerging time-triggered protocols for automotive X-by-wire control networks	13-22
Heggendorn, M.	Development of a damping seat slide to reduce whiplash injury	949–959
Hernández, J. J.	Composition and size of diesel particulate emissions from a commercial European engine tested with present and future fuels	907–919
Hesse, D.	Changes at interfaces of friction components during braking	765–770
Heuzé, L.	Design studies for a new suspension mechanism	529–535
Hewu, W.	Performance of a direct injection diesel engine fuelled with a dimethyl ether/diesel blend	819–824
Hobbs, A.	Development of test procedures and performance criteria to improve compatibility in car frontal collisions	233–245
Holinski, R.	Changes at interfaces of friction components during braking	765–770
Hong, S.-K.	Multidisciplinary design optimization of engine mounts with consideration of the driveline	107–114
Hong, S. R.	Non-dimensional analysis for effective design of semi-active electrorheological damping control systems	1095–1106
Hong, U. P.	Determination of the crash pulse and optimization of the crash components using the response surface approximate optimization	203–214
Horng, R.-F.	Transient behaviour of an electrically heated catalytic converter on a motorcycle engine in cold start conditions	183–192
Horng, R. F.	Reaction of the electrically-heated catalyst of a four-stroke motorcycle engine under cold start conditions with additional enrichment of the intake mixture	1117–1124
Howard, M.	Comprehensive approach to increased pedestrian safety in pedestrian–car accidents	513–519
Hsu, T.-C.	Reaction of the electrically-heated catalyst of a four-stroke motorcycle engine under cold start conditions with additional enrichment of the intake mixture	1117–1124
Huang, Z.	Study of cycle-by-cycle variations of natural gas direct injection combustion using a rapid compression machine	53–62
Huang, Z.	Combustion characteristics of natural-gas direct-injection combustion under various fuel injection timings	393–402
Huang, Z.	Correlation of ignitability with injection timing for direct injection combustion fuelled with compressed natural gas and gasoline	499–506
Huang, Z.	Visualization study of natural gas direct injection combustion	667–676
Huang, Z.	NO/NO_2 concentration of direct injection stratified combustion under constant volume condition fuelled by compressed natural gas and gasoline	935–941
Huang, Z.	Basic characteristics of direct injection combustion fuelled with compressed natural gas and gasoline using a rapid compression machine	1031–1038
Huang, Z. H.	Combustion characteristics and heat release analysis of a direct injection compression ignition engine fuelled with diesel–dimethyl carbonate blends	595–605
Huh, K.	Monitoring system design for estimating the lateral tyre force	247–256
Hunt, K.	Roll dynamics and lateral load transfer estimation in articulated heavy freight vehicles	985–997
Hyde, T. H.	Design of overlapped crankshafts. Part 3: holes in crankpin and journal	899–906
Im, M.	An operation algorithm with state of charge recovery for a parallel-type hybrid vehicle	801–808
Ishima, T.	Study of cycle-by-cycle variations of natural gas direct injection combustion using a rapid compression machine	53–62
Ishima, T.	Combustion characteristics of natural-gas direct-injection combustion under various fuel injection timings	393–402
Ishima, T.	Correlation of ignitability with injection timing for direct injection combustion fuelled with compressed natural gas and gasoline	499–506
Ishima, T.	Visualization study of natural gas direct injection combustion	667–676
Ishima, T.	NO/NO_2 concentration of direct injection stratified combustion under constant volume condition fuelled by compressed natural gas and gasoline	935–941
Ishima, T.	Basic characteristics of direct injection combustion fuelled with compressed natural gas and gasoline using a rapid compression machine	1031–1038
Jackson, R. A.	Potential and pitfalls in the use of dual exhaust gas oxygen sensors for three-way catalyst monitoring and control	475–488
Jacobsson, H.	Disc brake judder considering instantaneous disc thickness and spatial friction variation	325–342
Jacobsson, H.	Aspects of disc brake judder	419–430
Jeyakumaran, J.	A finite element method for the dynamic analysis of automatic transmission gear shifting with a four-degree-of-freedom planetary gearset element	461–473
Jian, G.	Effects of different frequency components in turbulence on accelerating turbulent premixed combustion	1023–1030
Jiang, D. M.	Combustion characteristics and heat release analysis of a direct injection compression ignition engine fuelled with diesel–dimethyl carbonate blends	595–605

© IMechE 2003

Jiang, R.	Combustion characteristics of compressed natural gas/diesel dual-fuel turbcharged compression ignition engine	833–838
Jiang, R.	Development of compressed natural gas/diesel dual-fuel turbcharged compression ignition engine	839–845
Kamnik, R.	Roll dynamics and lateral load transfer estimation in articulated heavy freight vehicles	985–997
Ke, Z.	Effects of different frequency components in turbulence on accelerating turbulent premixed combustion	1023–1030
Khalil-Arya, S.	A fully analytical treatment of heat release in diesel engines	701–717
Khossusi, T.	Measurement of oxygen storage capacity in automotive catalysts	727–733
Kim, B.	A numerical study on soot formation and oxidation for a direct injection diesel engine	403–414
Kim, C.-W.	A study of heat flux in a constant-volume combustion chamber	825–832
Kim, D.	Effects of design and operating parameters on the static and dynamic performance of an electromagnetic valve actuator	193–202
Kim, H.	A numerical study on soot formation and oxidation for a direct injection diesel engine	403–414
Kim, H.	Simulation of the shift force for a manual transmission	573–581
Kim, H.	An operation algorithm with state of charge recovery for a parallel-type hybrid vehicle	801–808
Kim, J.	Monitoring system design for estimating the lateral tyre force	247–256
Kim, J.	Simulation of the shift force for a manual transmission	573–581
Kim, J.	An investigation into different braking strategies for vehicle stability control	1081–1093
Kim, M.-S.	Multidisciplinary design optimization of engine mounts with consideration of the driveline	107–114
Kim, S.-P.	A study of heat flux in a constant-volume combustion chamber	825–832
Kim, S.-S.	Noise from progressive multi-leaf springs and methods for its reduction	1–12
Klaps, J.	Steering drift and wheel movement during braking: parameter sensitivity studies	1107–1115
Koch, W.	Comprehensive approach to increased pedestrian safety in pedestrian–car accidents	513–519
Kono, M.	Study of cycle-by-cycle variations of natural gas direct injection combustion using a rapid compression machine	53–62
Kono, M.	Combustion characteristics of natural-gas direct-injection combustion under various fuel injection timings	393–402
Kono, M.	Correlation of ignitability with injection timing for direct injection combustion fuelled with compressed natural gas and gasoline	499–506
Kono, M.	Visualization study of natural gas direct injection combustion	667–676
Kono, M.	NO/NO_2 concentration of direct injection stratified combustion under constant volume condition fuelled by compressed natural gas and gasoline	935–941
Kono, M.	Basic characteristics of direct injection combustion fuelled with compressed natural gas and gasoline using a rapid compression machine	1031–1038
Konstantas, G. S.	Experimental investigation of the role of soot volatile organic fraction in the regeneration of diesel filters	307–317
Ladommatos, N.	Visualization of the homogeneous charge compression ignition/controlled autoignition combustion process using two-dimensional planar laser-induced fluourescence imaging of formaldehyde	1125–1134
Lapuerta, M.	Composition and size of diesel particulate emissions from a commercial European engine tested with present and future fuels	907–919
Lee, C. S.	Effects of tumble and swirl flows on turbulence scale near top dead centre in a four-valve spark ignition engine	607–615
Lee, C.-W.	A study of heat flux in a constant-volume combustion chamber	825–832
Lee, D.-C.	Structural optimization concept for the design of an aluminium control arm	647–656
Lee, D.-C.	A structural optimization design for an aluminium-intensive vehicle	771–779
Lee, J.	Effects of design and operating parameters on the static and dynamic performance of an electromagnetic valve actuator	193–202
Lee, J.-C.	An investigation into a state space model for an attenuator in automotive hydraulic systems	63–68
Lee, J.-H.	An experimental study for drivability improvements in vehicle acceleration mode	623–631
Lee, J.-I.	Structural optimization concept for the design of an aluminium control arm	647–656
Lee, J.-I.	A structural optimization design for an aluminium-intensive vehicle	771–779
Lee, J. T.	A study on enhancement of the turbulence around the spark timing by auxiliary injection during the compression process	1011–1021
Lee, J.-W.	A study on occupant neck injury in rear end collisions	23–30
Lee, K. H.	Effects of tumble and swirl flows on turbulence scale near top dead centre in a four-valve spark ignition engine	607–615
Lee, K.-H.	Automotive door design using structural optimization and design of experiments	855–865
Lee, S.	A numerical study on soot formation and oxidation for a direct injection diesel engine	403–414
Lee, W.	A cost- and time-effective hardware-in-the-loop simulation platform for automotive engine control systems	41–52
Leen, G.	A comparison of emerging time-triggered protocols for automotive X-by-wire control networks	13-22
Li, Z.	Observations on the energy absorption characteristics of a three-spoke steering wheel armature during impact	1057–1069
Liao, D.	The optimization of electric power assisted steering to improve vehicle performance	639–646
Lim, C.	Simulation of the shift force for a manual transmission	573–581
Lim, H.	Headlamp modelling for simulating the capacity of automotive wiring systems	1043–1047
Lin, W.	Engine test data modelling by evolutionary radial basis function networks	489–497
Liu, B.	Combustion characteristics and heat release analysis of a direct injection compression ignition engine fuelled with diesel–dimethyl carbonate blends	595–605
Liu, D. K.	A finite element method for the dynamic analysis of automatic transmission gear shifting with a four-degree-of-freedom planetary gearset element	461–473
Liu, Z.	The optimization of electric power assisted steering to improve vehicle performance	639–646
Longbao, Z.	Performance of a direct injection diesel engine fuelled with a dimethyl ether/diesel blend	819–824
Longbao, Z.	Combustion characteristics of compressed natural gas/diesel dual-fuel turbcharged compression ignition engine	833–838
Luque, P.	A three-dimensional kinematic model for compound crank axle suspension mechanism	115–124
Ma, X. Q.	Modelling the hysteretic characteristics of a magnetorheological fluid damper	537–550
Maclaurin, E. B.	Compound strut and planar six-bar linkage suspension systems	215–220
Maggetto, G.	Comparison of the environmental damage caused by vehicles with different alternative fuels and drivetrains in a Brussels context	583–593
Mántaras, D. A.	A three-dimensional kinematic model for compound crank axle suspension mechanism	115–124

© IMechE 2003

Manzie, C.	A novel approach to disturbance rejection in idle speed control towards reduced fuel consumption	677–690
McCullough, G.	Measurement of oxygen storage capacity in automotive catalysts	727–733
McElroy, J. W.	A method for evaluating the thermal performance of passenger seats	449–459
Meyer, S.	Comparison of the environmental damage caused by vehicles with different alternative fuels and drivetrains in a Brussels context	583–593
Mills, V. D.	Behavioural modelling and analysis of hybrid vehicle steering systems	349–362
Mokhiamar, O.	Examination of different models following types of yaw moment control strategy for improving handling safety of a car–caravan combination	561–571
Momber, A. W.	Preliminary investigations about the separation of automotive composite components by a hydro-erosive method	221–228
Moon, T.-S.	Theoretical evaluation of the effects of crank offset on the reduction of engine friction	891–898
Moon, W.	Noise from progressive multi-leaf springs and methods for its reduction	1–12
Moorcroft, D.	The effects of uterine ligaments on fetal injury in frontal automobile crashes	1049–1055
Morris, R.	Analysis of disc brake cooling characteristics	657–666
Mottershead, J. E.	Vibration and squeal of a disc brake: modelling and experimental results	867–875
Múčka, P.	Theoretical investigation of a linear planar model of a passenger car with seated people	257–268
Muser, M.	Development of a damping seat slide to reduce whiplash injury	949–959
Nakamura, H.	Study of cycle-by-cycle variations of natural gas direct injection combustion using a rapid compression machine	53–62
Nakamura, H.	Combustion characteristics of natural-gas direct-injection combustion under various fuel injection timings	393–402
Nakamura, H.	Correlation of ignitability with injection timing for direct injection combustion fuelled with compressed natural gas and gasoline	499–506
Nakamura, H.	Visualization study of natural gas direct injection combustion	667–676
Nakamura, H.	NO/NO_2 concentration of direct injection stratified combustion under constant volume condition fuelled by compressed natural gas and gasoline	935–941
Nakamura, H.	Basic characteristics of direct injection combustion fuelled with compressed natural gas and gasoline using a rapid compression machine	1031–1038
Niederer, P.	Development of a damping seat slide to reduce whiplash injury	949–959
Noh, K. C.	A study on enhancement of the turbulence around the spark timing by auxiliary injection during the compression process	1011–1021
Obokata, T.	Study of cycle-by-cycle variations of natural gas direct injection combustion using a rapid compression machine	53–62
Obokata, T.	Combustion characteristics of natural-gas direct-injection combustion under various fuel injection timings	393–402
Obokata, T.	Correlation of ignitability with injection timing for direct injection combustion fuelled with compressed natural gas and gasoline	499–506
Obokata, T.	Visualization study of natural gas direct injection combustion	667–676
Obokata, T.	NO/NO_2 concentration of direct injection stratified combustion under constant volume condition fuelled by compressed natural gas and gasoline	935–941
Obokata, T.	Basic characteristics of direct injection combustion fuelled with compressed natural gas and gasoline using a rapid compression machine	1031–1038
Oh, D.-Y.	Theoretical evaluation of the effects of crank offset on the reduction of engine friction	891–898
Olsson, E.	On-board conversion of alcohols to ethers for fumigation in compression ignition engines	155–164
Orecchini, F.	Cars and the environment: a new approach to assessment through ISO 14001 certification of the car process	31–40
Orecchini, F.	A driving cycle for electrically-driven vehicles in Rome	781–789
Ouyang, H.	Vibration and squeal of a disc brake: modelling and experimental results	867–875
Owen, N. J.	Convective coolant heat transfer in internal combustion engines	133–146
Park, G.-J.	A study on occupant neck injury in rear end collisions	23–30
Park, G. J.	Determination of the crash pulse and optimization of the crash components using the response surface approximate optimization	203–214
Park, G.-J.	Automotive door design using structural optimization and design of experiments	855–865
Park, J.	Headlamp modelling for simulating the capacity of automotive wiring systems	1043–1047
Park, K.	Effects of design and operating parameters on the static and dynamic performance of an electromagnetic valve actuator	193–202
Park, S.	Simulation of the shift force for a manual transmission	573–581
Park, S.	Torque estimation of spark ignition engines via cylinder pressure measurement	809–817
Park, S.-H.	Effects of design and operating parameters on the static and dynamic performance of an electromagnetic valve actuator	193–202
Passmore, M. A.	Improvement of perceived vehicle performance through adaptive electronic throttle control	97–106
Pedchote, C.	Parameter estimation of a single wheel station using hybrid differential evolution	431–447
Peng, Z.	Visualization of the homogeneous charge compression ignition/controlled autoignition combustion process using two-dimensional planar laser-induced fluourescence imaging of formaldehyde	1125–1134
Peyton Jones, J. C.	Potential and pitfalls in the use of dual exhaust gas oxygen sensors for three-way catalyst monitoring and control	475–488
Pilkey, W. D.	Fifth percentile female dummy upper extremity interaction with a deploying side air bag	79–86
Pipitone, E.	Development of a low-cost piezo film-based knock sensor	691–699
Pirouzpanah, V.	Reduction of emissions in an automotive direct injection diesel engine dual-fuelled with natural gas by using variable exhaust gas recirculation	719–725
Popov, A. A.	Laboratory measurement of rolling resistance in truck tyres under dynamic loading	1071–1079
Prevedi, F.	On the design and tuning of the controllers in a power-split continuously variable transmission for agricultural tractors	745–759
Purdy, D. J.	Parameter estimation of a single wheel station using hybrid differential evolution	431–447

© IMechE 2003

Qiu, H.	Feedforward-plus-proportional–integral–derivative controller for an off-road vehicle electrohydraulic steering system	375–382
Rakhela, S.	Modelling the hysteretic characteristics of a magnetorheological fluid damper	537–550
Ratts, E. B.	A method for evaluating the thermal performance of passenger seats	449–459
Ravikrishna, R. V.	Multidimensional simulation of the air-flow and fuel transport process in the air-assisted injection system of a new, low-emission two-stroke engine	383–392
Ray, P.	Design studies for a new suspension mechanism	529–535
Reed, W. G.	A method for evaluating the thermal performance of passenger seats	449–459
Robinson, K.	Convective coolant heat transfer in internal combustion engines	133–146
Robinson, K.	Experimental and modelling aspects of flow boiling heat transfer for application to internal combustion engines	877–889
Roome, R.	An evaluation of value-transfer within a modular supply chain	521–527
Sabatini, D.	Cars and the environment: a new approach to assessment through ISO 14001 certification of the car process	31–40
Sampson, D. J. M.	Achievable roll stability of heavy road vehicles	269–287
Sarai, R. K.	Reduction of emissions in an automotive direct injection diesel engine dual-fuelled with natural gas by using variable exhaust gas recirculation	719–725
Savaresi, S. M.	On the design and tuning of the controllers in a power-split continuously variable transmission for agricultural tractors	745–759
Schmitt, K.-U.	Development of a damping seat slide to reduce whiplash injury	949–955
Seigler, M.	Validation of an indentor system for evaluating truck seat cushions	343–348
Seki, K.	Fifth percentile female dummy upper extremity interaction with a deploying side air bag	79–86
Seok, C.	Simulation of the shift force for a manual transmission	573–581
Serra, L.	Design studies for a new suspension mechanism	529–535
Shaheen, S.	A comparison of emerging time-triggered protocols for automotive X-by-wire control networks	13-22
Sharp, R. S.	On car steering torques at parking speeds	87–96
Sharp, R. S.	On the construction of a general numerical tyre shear force model from limited data	165–172
Shenghua, L.	Combustion characteristics of compressed natural gas/diesel dual-fuel turbcharged compression ignition engine	833–838
Shenghua, L.	Development of compressed natural gas/diesel dual-fuel turbcharged compression ignition engine	839–845
Shiga, S.	Study of cycle-by-cycle variations of natural gas direct injection combustion using a rapid compression machine	53–62
Shiga, S.	Combustion characteristics of natural-gas direct-injection combustion under various fuel injection timings	393–402
Shiga, S.	Correlation of ignitability with injection timing for direct injection combustion fuelled with compressed natural gas and gasoline	499–506
Shiga, S.	Visualization study of natural gas direct injection combustion	667–676
Shiga, S.	NO/NO_2 concentration of direct injection stratified combustion under constant volume condition fuelled by compressed natural gas and gasoline	935–941
Shiga, S.	Basic characteristics of direct injection combustion fuelled with compressed natural gas and gasoline using a rapid compression machine	1031–1038
Shim, M.-B.	Multidisciplinary design optimization of engine mounts with consideration of the driveline	107–114
Shin, J.-K.	Automotive door design using structural optimization and design of experiments	855–865
Shiyong, L.	Effects of different frequency components in turbulence on accelerating turbulent premixed combustion	1023–1030
Sime, A. P.	Design of overlapped crankshafts. Part 3: holes in crankpin and journal	899–906
Sodré, J. R.	Chromatograph determination of total and speciated hydrocarbons in the exhaust of a spark ignition engine	125–132
Song, H.	Simulation of the shift force for a manual transmission	573–581
Song, H.-B.	An experimental study for drivability improvements in vehicle acceleration mode	623–631
Song, S.-I.	Automotive door design using structural optimization and design of experiments	855–865
Song, Y. S.	A study on enhancement of the turbulence around the spark timing by auxiliary injection during the compression process	1011–1021
Stamatelos, A. M.	Experimental investigation of the role of soot volatile organic fraction in the regeneration of diesel filters	307–317
Standen, P. M.	A study of caravan unsteady aerodynamics	551–560
Steel, W. P.	A study of brake noise and the influence of the centre of pressure at the disc/pad interface, the coefficient of friction and calliper mounting geometry	957–973
Stein, G. J.	Theoretical investigation of a linear planar model of a passenger car with seated people	257–268
Stitzel, J.	The effects of uterine ligaments on fetal injury in frontal automobile crashes	1049–1055
Stratakis, G. A.	Experimental investigation of the role of soot volatile organic fraction in the regeneration of diesel filters	307–317
Stucki, S.	On-board conversion of alcohols to ethers for fumigation in compression ignition engines	155–164
Su, C. Y.	Modelling the hysteretic characteristics of a magnetorheological fluid damper	537–550
Suh, M.-W.	Multidisciplinary design optimization of engine mounts with consideration of the driveline	107–114
Sung, D.	Simulation of the shift force for a manual transmission	573–581
Sung, N.	A numerical study on soot formation and oxidation for a direct injection diesel engine	403–414
Sunwoo, M.	A cost- and time-effective hardware-in-the-loop simulation platform for automotive engine control systems	41–52
Sunwoo, M.	Torque estimation of spark ignition engines via cylinder pressure measurement	809–817
Talbot, C.	Fourier analysis of holographic data from a noisy disc brake and its implication for modelling	975–984
Taroni, F.	On the design and tuning of the controllers in a power-split continuously variable transmission for agricultural tractors	745–759
Thompson, A.	Development of test procedures and performance criteria to improve compatibility in car frontal collisions	233–245
Tirovic, M.	Analysis of disc brake cooling characteristics	657–666
Treyde, T.	Vibration and squeal of a disc brake: modelling and experimental results	867–875
Tsue, M.	Study of cycle-by-cycle variations of natural gas direct injection combustion using a rapid compression machine	53–62
Tsue, M.	Combustion characteristics of natural-gas direct-injection combustion under various fuel injection timings	393–402

© IMechE 2003

Tsue, M.	Correlation of ignitability with injection timing for direct injection combustion fuelled with compressed natural gas and gasoline	499–506
Tsue, M.	Visualization study of natural gas direct injection combustion	667–676
Tsue, M.	NO/NO_2 concentration of direct injection stratified combustion under constant volume condition fuelled by compressed natural gas and gasoline	935–941
Tsue, M.	Basic characteristics of direct injection combustion fuelled with compressed natural gas and gasoline using a rapid compression machine	1031–1038
Tuplin, S.	Improvement of perceived vehicle performance through adaptive electronic throttle control	97–106
Ueda, T.	Study of cycle-by-cycle variations of natural gas direct injection combustion using a rapid compression machine	53–62
Ueda, T.	Combustion characteristics of natural-gas direct-injection combustion under various fuel injection timings	393–402
Ueda, T.	Correlation of ignitability with injection timing for direct injection combustion fuelled with compressed natural gas and gasoline	499–506
Ueda, T.	Visualization study of natural gas direct injection combustion	667–676
Ueda, T.	NO/NO_2 concentration of direct injection stratified combustion under constant volume condition fuelled by compressed natural gas and gasoline	935–941
Ueda, T.	Basic characteristics of direct injection combustion fuelled with compressed natural gas and gasoline using a rapid compression machine	1031–1038
Van Mierlo, J.	Comparison of the environmental damage caused by vehicles with different alternative fuels and drivetrains in a Brussels context	583–593
Vangi, D.	Evaluation of energy-saving driving styles for bus drivers	299–305
Vera, C.	A three-dimensional kinematic model for compound crank axle suspension mechanism	115–124
Vereecken, L.	Comparison of the environmental damage caused by vehicles with different alternative fuels and drivetrains in a Brussels context	583–593
Virga, A.	Evaluation of energy-saving driving styles for bus drivers	299–305
Voller, G. P.	Analysis of disc brake cooling characteristics	657–666
Wagner, J. R.	Behavioural modelling and analysis of hybrid vehicle steering systems	349–362
Wallace, F. J.	A fully analytical treatment of heat release in diesel engines	701–717
Walz, F.	Development of a damping seat slide to reduce whiplash injury	949–959
Wang, E. R.	Modelling the hysteretic characteristics of a magnetorheological fluid damper	537–550
Wang, Y.	Investigation of the detection of knock and misfire of a spark ignition engine with the ionic current method	617–621
Warrior, N. A.	Design of overlapped crankshafts. Part 3: holes in crankpin and journal	899–906
Watson, H. C.	A novel approach to disturbance rejection in idle speed control towards reduced fuel consumption	677–690
Weiss, M.	Preliminary investigations about the separation of automotive composite components by a hydro-erosive method	221–228
Wereley, N. M.	Non-dimensional analysis for effective design of semi-active electrorheological damping control systems	1095–1106
Winkler, C. B.	Laboratory measurement of rolling resistance in truck tyres under dynamic loading	1071–1079
Wu, M. H.	Engine test data modelling by evolutionary radial basis function networks	489–497
Yang, J.	The optimization of electric power assisted steering to improve vehicle performance	639–646
Yang, Z. L.	Combustion characteristics and heat release analysis of a direct injection compression ignition engine fuelled with diesel–dimethyl carbonate blends	595–605
Yi, K.	Monitoring system design for estimating the lateral tyre force	247–256
Yi, K.	An investigation into different braking strategies for vehicle stability control	1081–1093
Yi, S.	An investigation into different braking strategies for vehicle stability control	1081–1093
Yi, S.-J.	A study of shift control using the clutch pressure pattern in automatic transmission	289–298
Yoo, J.	Effects of design and operating parameters on the static and dynamic performance of an electromagnetic valve actuator	193–202
Yoo, Y.-I.	Noise from progressive multi-leaf springs and methods for its reduction	1–12
Yoo, Y.-M.	Automotive door design using structural optimization and design of experiments	855–865
Yoon, K.-H.	A study on occupant neck injury in rear end collisions	23–30
Yoon, M.	A cost- and time-effective hardware-in-the-loop simulation platform for automotive engine control systems	41–52
Yu, J.	Dimenthyl ether (DME) spray characteristics in a common-rail fuel injection system	1135–1144
Zamani, N.	Observations on the energy absorption characteristics of a three-spoke steering wheel armature during impact	1057–1069
Zeng, K.	Combustion characteristics and heat release analysis of a direct injection compression ignition engine fuelled with diesel–dimethyl carbonate blends	595–605
Zhang, C.	Feedforward-plus-proportional–integral–derivative controller for an off-road vehicle electrohydraulic steering system	375–382
Zhang, N.	A finite element method for the dynamic analysis of automatic transmission gear shifting with a four-degree-of-freedom planetary gearset element	461–473
Zhang, Q.	A generic fuzzy electrohydraulic steering controller for off-road vehicles	791–799
Zhao, H.	Visualization of the homogeneous charge compression ignition/controlled autoignition combustion process using two-dimensional planar laser-induced fluouresecence imaging of formaldehyde	1125–1134
Zhou, L.	Investigation of the detection of knock and misfire of a spark ignition engine with the ionic current method	617–621
Ziyan, W.	Combustion characteristics of compressed natural gas/diesel dual-fuel turbcharged compression ignition engine	833–838
Ziyan, W.	Development of compressed natural gas/diesel dual-fuel turbcharged compression ignition engine	839–845

© IMechE 2003